

Maharashtra University of Health Sciences, Nashik Homoeopathy Faculty

Trust Deed / Bylaws/ Registration Certificate (Trust/ Society)

Name of College/Institute: Government Homoeopathy College, Jalgaon College Code -143117

Sr. No.	Name of Trust / Society	Details
1.	Registration Certificate (Copy enclosed)	Enclosed
2.	Name of the College / Institute (As per First Affiliation letter or As per Change of Name Proposal Approved by the University)	: Government Homoeopathy College
3.	Address with Pin code	: Shri Gulabrao Deokar engineering college campus, Shirsoli road , Jalgaon, Pin Code-425002
4.	Email ID	: ghmcjalgaon@gmail.com
5.	Telephone / Mobile No.(s)	: 9860706094
6.	Website Address	: www.ghmcjalgaon.in



Signature of Principal with Seal

Dean

Government Homoeopathy
College, Jalgaon

MAHARASHTRA

THE BOMBAY NURSING HOMES REGISTRATON ACT, 1949

CONTENTS

PREAMBLE

SECTIONS

1. Short title, extent and commencement
2. Definitions
3. Prohibition to carry on nursing home without registration
4. Application for registration
5. Registration
6. Penalty for non-registration
7. Cancellation of registration
8. Notice of refusal or of cancellation of registration
9. Inspection of nursing homes
10. Income of local supervising authority
11. Expenses of local supervising authority
12. Penalty for offences under Act
13. Offences by corporations
14. Court competent to try offences under Act
15. Indemnity to persons acting under this Act
16. Rules
17. By-laws

Inspection of nursing homes.

9. (1) The Health Officer of the local supervising authority or the Civil Surgeon of the district in which a nursing home is situated or any other officer duly authorised by the local supervising authority or the Civil Surgeon may, subject to such general or special orders as may be made by the local supervising authority, at all reasonable times enter and inspect any premises which are used, or which that officer has reasonable cause to believe to be used for the purpose of nursing home and inspect any records required to be kept in accordance with the provisions of this Act:
- (a) Provided that nothing in this Act shall be deemed to authorise any such officer to inspect any medical record relating to any patient in a nursing home
 - (b) Requiring notification to be given of any death occurring in the nursing home.
- (2) Any by-law made by a local supervising authority under this Act may provide that a contravention thereof shall be punishable ---
- (a) with fine which may extend to fifty rupees; or
 - (b) with fine which may extend to fifty rupees and in the case of continuing contravention with an additional fine which may extend to fifteen rupees for every day during which such contravention continues after conviction for the first such contravention
 - (c) with fine which may extend to fifteen rupees for every day during which the contravention continues after the receipt of a notice from the local supervising authority by the person contravening the by-law requiring such person to discontinue such contravention
- (3) No by-law made by the local supervising authority shall come into force until it has been confirmed by the *[State] Government with or without modification
18. Nothing in this Act shall apply to --
- (i) Any nursing home carried on by Government or a local authority or by any other body of persons approved by the *[State] Government in this behalf; and
 - (ii) Any asylum for lunatics or patients suffering from mental diseases, within the meaning of the Indian Lunacy Act 1912

* This word was substituted for the word "Provincial" by Adaptation of Laws Order, 1950

Hospital Register

MUNICIPAL
CORPORATION OF THE
CITY OF JALGAON



जळगाव शहर
महानगरपालिका,
जळगाव

(धरम सिटनी)

सन १९४९ च्या दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्टच्या कलम ५ अन्वये दिलेले
रजिस्ट्रेशन सर्टिफिकेट (नियम ५ अन्वये).
Certificate of Registration under Section 5 of the Bombay Nursing Homes
Registration Act, 1949 (Under Rule 5)

क्रमांक No. : ३८९

दि बॉम्बे नर्सिंग होम्स रजिस्ट्रेशन अॅक्ट १९४९ अन्वये श्री. / श्रीमती डॉ. मिलिंद भानुदास
निकुंभ, ग. व. ठोनी सोय्या, कंचे-आले ज, जळगाव
दर्यात नर्सिंग होम / नॅटर्नॅटी होम रजिस्टर केले अजून तदर्थ नर्सिंग होम व नॅटर्नॅटी होम चालविण्यास परवाना
इच्छाल येत आहे.

This is to certify that Shri. / श्रीमती Dr. Milind Bhanudas Nikumbh
has been registered under the Bombay
Nursing Homes Registration Act, 1949 in respect of Gov. Homoeopathy College
जळगाव situated at Civil Hosp. Jalgaon and has been
authorised to carry on the said Nursing Home.

रजिस्ट्रेशन क्र. : ३८९

Registration No. ३८९

रजिस्ट्रेशन दि. : २१/३/२०१८

Date of Registration

ठिकाण : Jalgaon

सर्टिफिकेट दिल्याचा दिनांक / Date of issue of Certificate :

तदर्थ सर्टिफिकेट दिनांक ३१ मार्च २०२१ पर्यंत कार्यवाहीत राहील.

This Certificate shall be valid up to 31st March २०२१

प्रतुतीसाठी

Maternity ५

इतर रुग्णांसाठी

Other Nursing Patients २०

कॉट्स

Cots

कॉट्स

Cots

आरोग्य प्रमुख, जळगाव शहर महानगरपालिका

Medical officer of Health,

Municipal Corporation of the City of Jalgaon.

शासकीय होमिओपॅथिक
वैद्यकीय महाविद्यालय, जळगाव



जळगाव शहर महानगरपालिका, जळगाव

सरदार वल्लभभाई पटेल टॉवर, प्रशासकीय इमारत
महात्मा गांधी रोड, नेहरु चौक, जळगाव - ४२५ ००१ फोन (०२५७) २२२२२६१ ते ६५ email : jcmcjalgaon@gmail.com

MUNICIPAL CORPORATION OF THE CITY OF JALGAON

Sardar Vallabhbhai Patel Tower, Administrative Building
Mahatma Gandhi Road, Nehru Chowk, Jalgaon - 425001 Ph: (0257) 2222261 to 65 email : jcmcjalgaon@gmail.com



संदर्भ क्र. /ज.श.म.न.पा. / Fire/264/2025-26

दिनांक : 17/10/2025

FIRE SAFETY CERTIFICATE

Certified that the **Shri. Gulabrao Deokar, Polytechnic, Jalgaon** (name of the building or premises) at **Gat No. 56, P.No. 113, Shirsole Road, Tal. & Dist. Jalgaon** (address) comprised of **Ground + Four Floor** owned / occupied by **Shri. Gulabrao Deokar, Polytechnic, Jalgaon** (name of the owner) have complied with the fire prevention and fire safety requirements in accordance with rule of State / UT Fire Service Rules (NBC Code - 2016, Part - IV) and verified by the officers concerned of the Fire service on **16/10/2025** (date of inspection) in the presence of **Principal, Security Staff, etc.** (name and address of the Manager/Secretary or his representative) and that the Building/Premises is fit for occupancy **Educational** with effect from **17/10/2025** for a period of **One** years in accordance with the rule and subject to compliance of the conditions.



(Shashikant L. Bari)

Fire Officer

Jalgaon City Municipal Corporation, Jalgaon

To,
Principal,
Shri. Gulabrao Deokar, Polytechnic, Jalgaon.
Shirsole Road, Tal. & Dist. Jalgaon



MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/M.S.1

No:- Format1.0/CC/UAN No.0000102779/CE - 21/2001/28

Date: 22/12/2021

To,
Shrikirshana Educational & Cultural Mandal's
Shri Gulabrao Deokar Multispeciality Medical & Ayush
Hospital
56/1, Shri Gulabrao Deokar College Campus,
Mohadi Shivar Shirsol Road, Tal & Jalgaon.



Sub: Combined Consent to Establish and BMW Authorization under Red category

- Ref:**
1. Your application for Combine Consent and Bio-Medical Authorization dated 04.06.2021
 2. The minutes of Consent Appraisal Committee meeting dated 13.10.2021 & 29.10.2021

Combined Consent to Establish and BMW Authorization.

For: Under Section 25 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 and Bio-Medical Waste Management Rules, 2016 and amendment thereof is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to establish is granted for a period up to commissioning of the unit or up to 5 year whichever is earlier.**
2. **The capital investment of the project is Rs.22.8 Crs. (As per C.A Certificate submitted by industry).**
3. **The Consent is valid for the Activity of**

Sr No	Activity	Quantity	UOM
1)	Hospital		
a)	Beds	500	Nos
b)	Total Plot Area	35400.00	Sq.Mtrs
c)	Total Built up Area	8455.31	Sq.Mtrs

4. **Conditions under Water (P&CP) Act, 1974 for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to Acheive	Disposal
1.	Trade effluent	0	As per Schedule -I	NA



Sr No	Description	Permitted (in CMD)	Standards to Achieve	Disposal
2.	Domestic effluent	28	As per Schedule - I	Treated effluent shall be recycled up to maximum extent and remaining shall be disposed on land for gardening / in to sewerage system provided by Local body.

5. Conditions under the Air (P& CP) Act, 1981 for air emissions:

Sr.No	Description of stack / source	Number of Stack	Standards to be achieved
1	DG Set [125 KVA]	1	As per Schedule -II

6. Conditions under Hazardous & Other Wastes (M & T M) Rules 2008 for treatment and disposal of hazardous waste:

Sr No	Type of Waste	HW Category	Quantity	UoM	Treatment	Disposal
1		NA	0	--NA--	NA	NA

7. Conditions about Non Hazardous Wastes:

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	NA	0	--NA--	0	0

8. Treatment and Disposal of Biomedical Waste generated to CBMWTSDF:

Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	8.00	Yellow colored non-chlorinated plastic bags	CBMWTSDF
		b) Soiled Waste	2.00		
		c) Chemical Waste	1.00		
		d) Chemical Liquid Waste	1.00		
		e) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	5.00		
		f) Microbiology Biotechnology and other clinical laboratory waste	1.00		
2	Red	Contaminated waste (Recyclable)	7.00	Red colored non chlorinated plastic bags or containers	CBMWTSDF
3	White (Translucent)	Waste sharps including Metals	1.00	Puncture proof, Leak proof, tamper proof container	CBMWTSDF



Sr.No	Category	Type of Waste	Quantity not to exceed (Kg/M)	Segregation Color coding	Treatment & Disposal
4	Blue	a) Glassware	8.00	Puncture proof & leak proof boxes or containers with blue colored marking.	CBMWTSDF
		b) Metallic body implants	1.00		

9. PP shall comply the following guidelines published by the CPCB on February-2019 regarding handling of BMW for utilization

1. HCE shall preferably handover Bio-medical wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms for production of drugs, reagent chemicals, markers etc. If any such as Pharmaceutical industry / Biotechnology firm approaches them for the same. If there are any difficulties in the matter, the same may be communicated to such firm and copied to the board also.
2. HCE shall strictly follow the procedure for packaging & transportation of Bio-medical Wastes such as pleural fluid, ascetic fluid, HBsAG positive blood, placenta etc. to the Pharmaceutical industry / Biotechnology firms as per the guidelines of CPCB published in Feb-2019 for "Handling of BMW for utilization".
3. HCEs shall submit the report to the Board office about type, quantity and frequency of handling over such BMW on yearly basis.
4. Industry to enter into legal agreement with HCE's and inform the MPC Board and competent authority of State Public Health Department about such collection of BMW along with quantity and type of waste collected.
5. In case of any technical difficulty towards handing over the required BMW, you shall inform to the Board accordingly.
6. HCEs shall properly dispose and handover the waste to authorised user / facilities having valid consent to operate from MPCB.

10. This consent is issued subject to conditions mentioned below:


- a. The "authorized Person" shall comply with provisions of the Environment (Protection) Act, 1986, and the Rules made there under.
- b. Any unauthorized change in equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this Authorization.
- c. You shall submit details of Management and Handling of outdated, discarded, unused Cytotoxic drugs generated in the Cancer centers, research and health care in the format prescribed by CPCB which is available on www.cpcb.nic.in alongwith Annual Report to MPCB with a copy to CPCB before 31st January every year.
- d. You shall manage the Mercury Waste in the HCE in environmentally sound manner (including storage, spilled collection, transportation and disposal) as per CPCB guidelines published on CPCB website www.cpcb.nic.in dated: 07.09.2010 as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities".
- e. You shall ensure phase out of chlorinated plastic bags, gloves and blood bags by HCEs within two years.
- f. You shall establish Bar code system within one year.



Maharashtra Pollution Control Board
61c2a8d81e12b33ddaa31011

- g. You shall ensure that the liquid waste is treated and disposed by all the occupier or operator of a CBWTF in accordance with the Water Act, 1974;
 - h. You shall maintain day to day basis and display the monthly record including Annual report on its website within two years from the date of Notification.
 - i. You shall submit separate Bank Guarantees towards compliance of condition mentioned at Annexure - IV to Regional Office, within 30 days.
 - j. You shall submit compliance of Bank Guarantee conditions every six months to Regional Officer, for verification purpose.
 - k. You shall submit application for renewal of Combined Consent and Biomedical Waste authorization before 120 days along with appropriate fees.
11. This Board reserves the right to review, amend, suspend, revoke etc. this consent and the same shall be binding on the industry.
 12. This consent should not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies.
 13. PP shall provide primary ETP for treatment of trade effluent and sewage treatment plant for treatment of domestic wastewater.
 14. The Bio-medical waste generated shall be segregated, transported & disposed as per the provisions of Rule.
 15. PP shall submit BG of Rs.25 Lakh towards compliances of consent condition.

For and on behalf of the
Maharashtra Pollution Control
Board.


(Ashok Shingare IAS),
Member Secretary

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	1500.00	TXN2105001910	27/05/2021	Online Payment
2	50000.00	TXN2107001080	09/07/2021	Online Payment
3	50000.00	MPCB-DR-8070	23/09/2021	NEFT
4	10000.00	TXN2011001816	22/03/2021	Online Payment

Balance amount of Rs. 51500 will be considered at the time of next renewal of consent.

Copy to:

1. Regional Officer, MPCB, Nashik and Sub-Regional Officer, MPCB, Jalgaon
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



Maharashtra Pollution Control Board

61c2a8d81e12b33ddaa31011

SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

- Generation - Nil
 - Treatment - NA
 - Disposal - NA
- As per your application, you have provided Sewage Treatment Plant of designed capacity 35 CMD for the treatment of 28 CMD of sewage.
 - The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr. No.	Parameter	Limit	Value
1	BOD	Not to exceed	30
2	COD	Not to exceed	100
3	Suspended Solids	Not to exceed	50

- The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise and remaining shall be disposed in sewerage system provided by local body. In no case, sewage shall find its way outside hospital premises and in to nearby water body.
- The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 - The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
 - The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	0.00
2.	Domestic purpose	40.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	0.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
5.	Gardening	0

- The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have proposed to provide the Air pollution control (APC) system and also to erect following stack (s) to observe the following fuel pattern:

Stack No.	Stack Attached To	APC System	Height in Mtrs.	Type of Fuel	Quantity & UoM	% SO ₂
S-1	DG Set 125 KVA)	Acoustic Enclosures	3	Diesel	20 Kg/Hr	1.00 9.60

2. The applicant shall provide stack height of mtrs operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Total Particulate matter	Not to exceed	150 mg/Nm ³
--------------------------	---------------	------------------------

3. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
4. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
5. Conditions for D.G. Set
- Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - D.G. Set shall be operated only in case of power failure.
 - The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - The applicant shall comply with the notification of MoEF dated 17.05.2002 regarding noise limit for generator sets run with diesel.



Maharashtra Pollution Control Board

61c2a8d81e12b33ddaa31011

SCHEDULE-III Details of Bank Guarantees:

Sr. No.	Consent(C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	Combined Consent to Establish and BMW Authorization	Rs.25 Lakh	15 Days	Towards compliances of consent condition.	Continuous	30.04.2026

** The above Bank Guarantee(s) shall be submitted by the applicant in favour of Regional Officer at the respective Regional Office within 15 days of the date of issue of Consent.
Existing BG obtained for above purpose if any may be extended for period of validity as above.

Statement of conditions to be complied and Bank Guarantee imposed to ensure timely compliance to be observed by:

Sr.No	Activity / Condition to be Complied	Compliance Timeline(Months)	Bank Guarantee Amount
1A	Operation and Maintenance		
1	To Segregate and Handle BMW as per Rule	Continuous	

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG Imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV

General Conditions:

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- You should monitor effluent quality, stack emissions, noise and ambient air quality quarterly
- You shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
- Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.



Maharashtra Pollution Control Board
61c2a8d81e12b33ddaa31011


5. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
6. You shall submit, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992 to Regional Office, the 30th day of September every year.
7. You shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the HW (MH&TM) Rules 2008, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc should go for that purpose, in order to reduce load on incineration and landfill site/environment.
8. You shall comply with the Hazardous Waste (M, H & TM) Rules, 2008 and submit the Annual Returns to RO- as per Rule 5(6) & 22(2) of Hazardous Waste (M, H & TM) Rules, 2008 for the preceding year April to March in Form-IV by 30th June of every year.
9. An inspection book shall be opened and made available to the Board's officers during their visit to the HCE.
10. You shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
11. You shall constitute an Environmental cell with qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
12. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
13. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
14. You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
15. You should not cause any nuisance in surrounding area.
16. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
17. You shall maintain good housekeeping.
18. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement to Regional Office by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
19. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.



Maharashtra Pollution Control Board
61c2a8d81e12b33ddaa31011

20. You shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. You will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
21. You shall submit Six Monthly statement in respect of obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
22. You shall submit official e-mail address and any change will be duly informed to the MPCB, forthwith.
23. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification dtd. 16.11.2009 as amended
24. You shall observe provisions of E-waste (Management and Handling) Rules 2011 and Battery Waste (Management and Handling) Rules 2001, as amended.

For and on behalf of the
Maharashtra Pollution Control
Board.


(Ashok Shingare IAS),
Member Secretary



Maharashtra Pollution Control Board
61c2a8d81e12b33ddaa31011



महाराष्ट्र शासन
शासकीय आयुर्वेद रुग्णालय, जळगांव
श्री.गुलाबराव देवकर अभियांत्रिकी महाविद्यालय परिसर, शिरसोली रोड, जळगांव
ईमेल-gahjalgaon@gmail.com

जा.क्र.शाआरुज/आस्था / आयुर्वेद/२०२५/२२७

दिनांक: ०६/०२/२०२५

जैविक-वैद्यकीय कचरा (BMW) विल्हेवाट सामंजस्य करार

गुलाबराव देवकर इंजिनियरींग महाविद्यालय परिसर येथे एकाच ठिकाणी वेगळ्या इमारतीत स्थित असलेल्या शासकीय होमिओपॅथी महाविद्यालय व रुग्णालय जळगांव तसेच शासकीय आयुर्वेद महाविद्यालय व रुग्णालय जळगांव या महाविद्यालया दरम्यान बायो मेडिकल वेस्ट मॅनेजमेंट (BMWM) नियम, २०१६ ह्या अधिनियमा आधीन राहून आपसात जैव-वैद्यकीय कचरा (BMW) विल्हेवाट सामंजस्य करार करण्यात येत आहे.


सदर सामंजस्य करार हा खालील उद्देशाने करण्यात येत आहे-

- पर्यावरणाच्या दृष्ट्या जैव-वैद्यकीय कचरा योग्य पध्दतीने पृथक्करण संकलन आणि उपचार करून जैव-वैद्यकीय कचऱ्याची वैज्ञानिक विल्हेवाट लावणे ह्या हेतूने, जेणे करून आरोग्य कर्मचाऱ्यांवर आणि पर्यावरणावर होणारा प्रतिकूल परिणाम रोखता येणे शक्य होईल.
- शासकीय होमिओपॅथी महाविद्यालय व रुग्णालय, जळगांव येथे जैव-वैद्यकीय कचरा अल्प प्रमाणात असल्याने.
- शासकीय होमिओपॅथी महाविद्यालय व रुग्णालय, जळगांव तसेच शासकीय आयुर्वेद महाविद्यालय व रुग्णालय, जळगांव या दोघेही शासकीय संस्था एकाच परिसरात स्थित असल्याने.

सदर करारानुसार शासकीय होमिओपॅथी महाविद्यालय व रुग्णालय, जळगांव येथे वेळोवेळी जमा होणारा जैव-वैद्यकीय कचरा हा शासकीय आयुर्वेद महाविद्यालय व रुग्णालय, जळगांव येथे संकलित केला जाईल.

दिनांक -

ठिकाण -



अधिष्ठाता
शासकीय आयुर्वेद महाविद्यालय
जळगांव

अधिष्ठाता (ऑकॅडमिक)

- त्रीय होमिओपॅथी महा. व रुग्णालय
जळगांव

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998

1998